

REPRODUCIBILITY CRISIS AND OPEN SCIENCE

Arnaud Legrand



Séminaire RR, Grenoble, April 2021




PUBLIC EVIDENCE FOR A LACK OF REPRODUCIBILITY

- J.P. Ioannidis. *Why Most Published Research Findings Are False* PLoS Med. 2005.
- *Lies, Damned Lies, and Medical Science*, The Atlantic. Nov, 2010
- *Reproducibility: A tragedy of errors*, Nature, Feb 2016.
- Steen RG, *Retractions in the scientific literature: is the incidence of research fraud increasing?*, J. Med. Ethics 37, 2011



Science has lost its way, at a big cost to humanity

Researchers are rewarded for splashy findings, not for double-checking accuracy. So many scientists looking for cures to diseases have been building on ideas that aren't even true.



Courtesy V. Stodden, SC, 2015



NEWSWORTHY STORIES ABOUT SCIENTIFIC MISCONDUCT

Dong-Pyou Han Assistant professor, Biomedical sciences, Iowa State University, 2013

Falsified blood results to make it appear as though a vaccine exhibited anti-HIV activity

- Han and his team received \approx \$19 million from NIH
- 1 retracted publication and **resignation** of university. Sentenced in 2015 to **57 months imprisonment** for fabricating and falsifying data in HIV vaccine trials. **\$7.2 million!**

NEWSWORTHY STORIES ABOUT SCIENTIFIC MISCONDUCT

Dong-Pyou Han Assistant professor, Biomedical sciences, Iowa State University, 2013

Falsified blood results to make it appear as though a vaccine exhibited anti-HIV activity

- Han and his team received \approx \$19 million from NIH
- 1 retracted publication and **resignation** of university. Sentenced in 2015 to **57 months imprisonment** for fabricating and falsifying data in HIV vaccine trials. **\$7.2 million!**

Dieterik Stapel Professor, Social Psychology, Univ. Amsterdam, 2011

I failed as a scientist. I adapted research data and fabricated research. Not once, but several times, not for a short period, but over a longer period of time. [...] I am aware of the suffering and sorrow that I caused to my colleagues... I did not withstand the pressure to score, to publish, the pressure to get better in time. I wanted too much, too fast. In a system where there are few checks and balances, where people work alone, I took the wrong turn.

58 retracted publications

NEWSWORTHY STORIES ABOUT SCIENTIFIC MISCONDUCT

Dong-Pyou Han Assistant professor, Biomedical sciences, Iowa State University, 2013

Falsified blood results to make it appear as though a vaccine exhibited anti-HIV activity

- Han and his team received \approx \$19 million from NIH
- 1 retracted publication and **resignation** of university. Sentenced in 2015 to **57 months imprisonment** for fabricating and falsifying data in HIV vaccine trials. **\$7.2 million!**

Dieterik Stapel Professor, Social Psychology, Univ. Amsterdam, 2011

I failed as a scientist. I adapted research data and fabricated research. Not once, but several times, not for a short period, but over a longer period of time. [...] I am aware of the suffering and sorrow that I caused to my colleagues... I did not withstand the pressure to score, to publish, the pressure to get better in time. I wanted too much, too fast. In a system where there are few checks and balances, where people work alone, I took the wrong turn.

58 retracted publications

Brian Wansink Professor, Psychological Nutrition, Cornell, 2016

I gave her a data set of a self-funded, failed study which had null results. I said "This cost us a lot of time and our own money to collect. There's got to be something here we can salvage because it's a cool (rich & unique) data set." I told her what the analyses should be. [...] Every day she came back with puzzling new results, and every day we would scratch our heads, ask "Why," and come up with another way to reanalyze the data with yet another set of plausible hypotheses

17 retracted publications

SCIENTIFIC MISCONDUCT? WHAT ARE THE CONSEQUENCES ?

Reinhart and Rogoff Professors of Economics at Harvard

gross debt [...] exceeding 90 percent of the economy has a significant negative effect on economic growth – Growth in a Time of Debt (2010)

*While using RR's working spreadsheet, we identified **coding errors**, **selective exclusion** of available data, and **unconventional** weighting of summary statistics.* – 2013: Herndon, Ash and Pollin

For 3 years, austerity was not presented as an option but as a necessity.
– 2013: Paul_Krugman

At least, a scientific debate has been possible.

SCIENTIFIC MISCONDUCT? WHAT ARE THE CONSEQUENCES ?

Reinhart and Rogoff Professors of Economics at Harvard

gross debt [...] exceeding 90 percent of the economy has a significant negative effect on economic growth – Growth in a Time of Debt (2010)

*While using RR's working spreadsheet, we identified **coding errors**, **selective exclusion** of available data, and **unconventional** weighting of summary statistics.* – 2013: Herndon, Ash and Pollin

For 3 years, austerity was not presented as an option but as a necessity.
– 2013: Paul_Krugman

At least, a scientific debate has been possible.

Bad science is deleterious

- It is used to backup stupid politics, it affects people's life, ...
- It blurs the frontier between scientists and crooks

Media attention **inflates conspiracy opinions** 😞

- *Scientific result are worthless.*
- *Scientists can't even agree with each others on economy/climate/vaccine/5G/...*
- *Stop the scientific dictatorship/lobby!*


A CREDIBILITY CRISIS?

How so? Why now? Why is this important? What can we do about it?

The Battle against Scientific Fraud in the CNRS International Magazine

Biomedical fraud in figures


Cause of retraction 1977 to 2012





SOURCE: FANG ET AL. (2013) PNAS

Number of publications and retractions

1977 to 2013



SOURCE: PUBMED VS PUBTRACT-MEDICALL.COM



Galileo (data fabrication), Ptolemy (plagiarism), Mendel (data enhancement), **Pasteur** (rigorous but hid failures), ...


Scientific misconduct is obviously wrong but it's **not new!**

- Every domain has its black sheep
- The publish or perish pressure is a pain

A REPRODUCIBILITY CRISIS?


HAVE YOU FAILED TO REPRODUCE AN EXPERIMENT?

Most scientists have experienced failure to reproduce results.



HAVE YOU EVER TRIED TO PUBLISH A REPRODUCTION ATTEMPT?

Although only a small proportion of respondents tried to publish replication attempts, many had their papers accepted.



Number of respondents from each discipline:
Biology 703, Chemistry 106, Earth and environmental 95,
Medicine 203, Physics and engineering 236, Other 233

1,500 scientists lift the lid on reproducibility, Nature, May 2016

Methodological or technical causes


- The many biases (apophenia, confirmation, hindsight, experimenter, ...): **bad designs**
- Selective reporting, weak analysis (**statistics, data manipulation mistakes, computational errors**)
- Lack of information, **code/raw data unavailable**

Social causes

- Fraud, conflict of interest (pharmaceutic, ...)
- **No incentive** to reproduce/check our own work (afap), nor the work of others (big results!), nor to allow others to check (competition)
- Peer review does not scale: 1+ million articles per year!


1934: Karl Popper puts the notions of **falsifiability** and **crucial experiment** as the **hallmark of science**

- If no experiment can be set up to **disprove** your theory, it is not science
- Good experiments **discriminate good theories from bad ones**
- **Non-reproducible** single occurrences are of no significance to science



1934: Karl Popper puts the notions of **falsifiability** and **crucial experiment** as the **hallmark of science**

- If no experiment can be set up to **disprove** your theory, it is not science
- Good experiments **discriminate good theories from bad ones**
- **Non-reproducible** single occurrences are of no significance to science



An ideal rather than the norm

Popper's proposal works well for Physics from the 18th century but is not so simple for many other domains:

- Theory of evolution
- Spotting a SuperNova
- Particle Physics (a single LHC)
- Biology (every animal does not behave in the same way)
- Anthropology (impact on people from a remote culture)

REPRODUCIBILITY: A CORE VALUE OF SCIENCE

1. Universality: Science aims for **objective findings, accessible to anyone**

Reproducibility acts as a **Universality/Robustness control**

2. Incremental: We build on each others work but everybody makes mistakes

Methods, biases, ... How to discriminate sound theories experiments from bad ones? 😊

Reproducibility acts as a **Quality control**

REPRODUCIBILITY: A CORE VALUE OF SCIENCE

1. Universality: Science aims for **objective findings, accessible to anyone**

Reproducibility acts as a **Universality/Robustness control**

2. Incremental: We build on each others work but everybody makes mistakes

Methods, biases, ... How to discriminate sound theories experiments from bad ones? 😊

Reproducibility acts as a **Quality control**


But, **scientific practices have greatly evolved**, in particular since we rely on **computers**



How computers broke science – and what we can do about it

– Ben Marwick, The conversation, 2015

HOW COMPUTERS BROKE SCIENCE



Geoffrey Chang (Scripps, UCSD) works on crystallography and studies the structure of cell membrane proteins.


He specialized in structures of **multidrug resistant transporter proteins in bacteria**: MsbA de Escheria Choli (Science, 2001), Vibrio cholera (Mol. Biology, 2003), Salmonella typhimurium (Science, 2005)

2006: Inconsistencies reveal **a programming mistake**

A homemade data-analysis program had flipped two columns of data, inverting the electron-density map from which his team had derived the protein structure.

5 retracts that motivate **improved software engineering practices** in comp. biology

HOW COMPUTERS BROKE SCIENCE



Geoffrey Chang (Scripps, UCSD) works on crystallography and studies the structure of cell membrane proteins.

He specialized in structures of **multidrug resistant transporter proteins in bacteria**: MsbA de Escheria Choli (Science, 2001), Vibrio cholera (Mol. Biology, 2003), Salmonella typhimurium (Science, 2005)

2006: Inconsistencies reveal **a programming mistake**

A homemade data-analysis program had flipped two columns of data, inverting the electron-density map from which his team had derived the protein structure.

5 retracts that motivate **improved software engineering practices** in comp. biology

There is **worse!**

- The generalized and intensive use of **spreadsheets** (**COVID tracing**)
- Relying on **black box** statistical methods is infinitely easier than understanding them
(Learning and Data Analytics frameworks = nuke)
- **Numerical errors** and **software environment** unawareness

DIFFERENT REPRODUCIBILITY CONCERNS IN MODERN SCIENCE


Social Sciences, Oncology, ... methodology, statistics, pre-registration

Genomics software engineering, computational reproducibility, provenance

Computational fluid dynamics numerical issues

The processing steps between raw observations and findings have gotten increasingly numerous and complex

Authors




DIFFERENT REPRODUCIBILITY CONCERNS IN MODERN SCIENCE

Social Sciences, Oncology, ... methodology, statistics, pre-registration

Genomics software engineering, computational reproducibility, provenance

Computational fluid dynamics numerical issues

The processing steps between raw observations and findings have gotten increasingly numerous and complex




DIFFERENT REPRODUCIBILITY CONCERNS IN MODERN SCIENCE

Social Sciences, Oncology, ... methodology, statistics, pre-registration

Genomics software engineering, computational reproducibility, provenance

Computational fluid dynamics numerical issues

The processing steps between raw observations and findings have gotten increasingly numerous and complex




DIFFERENT REPRODUCIBILITY CONCERNS IN MODERN SCIENCE

Social Sciences, Oncology, ... methodology, statistics, pre-registration

Genomics software engineering, computational reproducibility, provenance

Computational fluid dynamics numerical issues

The processing steps between raw observations and findings have gotten increasingly numerous and complex




DIFFERENT REPRODUCIBILITY CONCERNS IN MODERN SCIENCE

Social Sciences, Oncology, ... methodology, statistics, pre-registration

Genomics software engineering, computational reproducibility, provenance

Computational fluid dynamics numerical issues

The processing steps between raw observations and findings have gotten increasingly numerous and complex




DIFFERENT REPRODUCIBILITY CONCERNS IN MODERN SCIENCE

Social Sciences, Oncology, ... methodology, statistics, pre-registration

Genomics software engineering, computational reproducibility, provenance

Computational fluid dynamics numerical issues

The processing steps between raw observations and findings have gotten increasingly numerous and complex



Reproducible Research = Bridging the Gap by working Transparently

REPRODUCIBLE RESEARCH PRACTICES

"REPRODUCIBLE RESEARCH": FIRST APPEARANCE

Claerbout & Karrenbach, meeting of the Society of Exploration Geophysics, 1992

Electronic Documents Give Reproducible Research a New Meaning

RE1.3

Jon F. Claerbout and Martin Karrenbach, Stanford Univ.

SUMMARY

A revolution in education and technology transfer follows from the marriage of word processing and software command scripts. In this marriage an author attaches to every figure caption a pushbutton or a name tag usable to recalculate the figure from all its data, parameters, and programs. This provides a new level of reproducibility in computer graphics.

In 1990, we set this sequence of goals:

- Learn how to merge a publication with its underlying computational analysis.
- Teach researchers how to prepare a document in a form where they themselves can reproduce their own research results a year or more later by "pressing a single button".
- Learn how to leave finished work in a condition where coworkers can reproduce the calculation including the final illustration by pressing a button in its caption.
- Prepare a complete copy of our local software environment so that graduating students can take their work away with them to other sites, press a button, and reproduce their Stanford work.
- Merge electronic documents written by multiple authors (SEP reports).


- make incremental improvements in electronic-document software
- seek partners for broadening standards (and making incremental improvements).

Our basic goal is reproducible research. The electronic document is our means to this end. In principle, reproducibility in research can be achieved without electronic documents and that is how we started. Our first nonelectronic reproducible document was a textbook in which the paper document contained the name of a program script in every figure caption. The program scripts were organized by book chapter and section so they could be correlated to an accompanying magnetic tape dump of the file system. The magnetic tape also contained all the necessary data to feed the program script.


Now that we have begun using CD-ROM publication, we can go much further. Every figure caption contains a pushbutton that jumps to the appropriate science directory (folder) and initiates a figure rebuild command and then displays the figure, possibly as a movie or interactive program. We normally display seismic images of the earth's interior, but to reach wider audiences, Figure 1 shows a satellite weather picture which the pushbutton will animate as seen on commercial television. We include all our plot software as well as freely available software from many sources, including compilers and the \LaTeX word processing system. Naturally we must include licensed software, but with the exception

EXISTING TOOLS, EMERGING STANDARDS


Notebooks and workflows



Software environments



Sharing platforms



Un document computationnel

Mon ordinateur m'indique que π vaut *approximativement*

3.141592653589793


Mais calculé avec la **méthode** des [aiguilles de Buffon](#), on obtiendrait comme **approximation** :

```
import numpy as np
N = 1000000
x = np.random.uniform(size=N, low=0, high=1)
theta = np.random.uniform(size=N, low=0, high=pi/2)
2/(sum((x+np.sin(theta))>1)/N)
```

3.1437198694098765


On peut inclure des formules mathématiques comme $\frac{1}{\sigma\sqrt{2\pi}} \exp\left(-\frac{(x-\mu)^2}{2\sigma^2}\right)$ et

des *dessins qui n'ont rien à voir* avec π (si ce n'est une constante de normalisation... ☹).



TOOL 1: COMPUTATIONAL NOTEBOOKS/LITTERATE PROGRAMMING

Document initial dans son environnement



The screenshot shows a Jupyter Notebook interface with the following content:

```
# Un document computationnel
```

Mon ordinateur m'indique que π vaut "approximativement"

```
In [1]:
```

```
from math import *
print(pi)
3.141592653589793
```

Mais calculé avec la méthode des aiguilles de Buffon, on obtiendrait comme approximation :

```
In [2]:
```

```
import numpy as np
N = 1000000
x = np.random.uniform(size=N, low=0, high=1)
theta = np.random.uniform(size=N, low=0, high=pi/2)
2/(sum((x+np.sin(theta))>1)/N)
```


```
Out[2]: 3.1437198694098765
```

On peut inclure des formules mathématiques comme $\frac{1}{\sigma\sqrt{2\pi}} \exp\left(-\frac{(x-\mu)^2}{2\sigma^2}\right)$ et des dessins qui n'ont rien à voir avec π (si ce n'est une constante de normalisation... ☺).

```
In [3]:
```

```
%matplotlib inline
import matplotlib.pyplot as plt
mu, sigma = 100, 35
x = mu + sigma*np.random.randn(10000)

plt.hist(x, 40)
plt.grid(True)
plt.show()
```



Document final

Un document computationnel

Mon ordinateur m'indique que π vaut *approximativement*

3.141592653589793


Mais calculé avec la **méthode** des **aiguilles de Buffon**, on obtiendrait comme **approximation** :

```
import numpy as np
N = 1000000
x = np.random.uniform(size=N, low=0, high=1)
theta = np.random.uniform(size=N, low=0, high=pi/2)
2/(sum((x+np.sin(theta))>1)/N)
```

3.1437198694098765

On peut inclure des formules mathématiques comme $\frac{1}{\sigma\sqrt{2\pi}} \exp\left(-\frac{(x-\mu)^2}{2\sigma^2}\right)$ et

des dessins qui n'ont rien à voir avec π (si ce n'est une constante de normalisation... ☺).



TOOL 1: COMPUTATIONAL NOTEBOOKS/LITTERATE PROGRAMMING

Document initial dans son environnement

The screenshot shows a Jupyter Notebook interface with the following content:

- Cell 0:** A title cell containing "# Un document computationnel".
- Cell 1:** A text cell containing "Mon ordinateur m'indique que π vaut 'approximativement'".
- Cell 2:** A code cell with `from math import *` and `print(pi)`, with the output `3.141592653589793`.
- Cell 3:** A text cell containing "Mais calculé avec la méthode des aiguilles de Buffon, on obtiendrait comme approximation :".
- Cell 4:** A code cell with `import numpy as np`, `N = 1000000`, `x = np.random.uniform(size=N, low=0, high=1)`, `theta = np.random.uniform(size=N, low=0, high=pi/2)`, and `2/(sum((x+np.sin(theta))>1)/N)`, with the output `3.1437198694098765`.
- Cell 5:** A text cell containing "On peut inclure des formules mathématiques comme $\frac{1}{\sigma\sqrt{2\pi}} \exp\left(-\frac{(x-\mu)^2}{2\sigma^2}\right)$ et des dessins qui n'ont rien à voir avec π (si ce n'est une constante de normalisation... ☺)".
- Cell 6:** A code cell with `%matplotlib inline`, `import matplotlib.pyplot as plt`, `mu, sigma = 100, 35`, `x = mu + sigma*np.random.randn(10000)`, `plt.hist(x, 40)`, `plt.grid(True)`, and `plt.show()`, with a histogram plot showing a normal distribution centered at 100.

Mark Down

Document final

Un document computationnel

Mon ordinateur m'indique que π vaut *approximativement*

3.141592653589793


Mais calculé avec la **méthode** des **aiguilles de Buffon**, on obtiendrait comme **approximation** :

```
import numpy as np
N = 1000000
x = np.random.uniform(size=N, low=0, high=1)
theta = np.random.uniform(size=N, low=0, high=pi/2)
2/(sum((x+np.sin(theta))>1)/N)
```

3.1437198694098765


On peut inclure des formules mathématiques comme $\frac{1}{\sigma\sqrt{2\pi}} \exp\left(-\frac{(x-\mu)^2}{2\sigma^2}\right)$ et

des *dessins qui n'ont rien à voir* avec π (si ce n'est une constante de normalisation... ☺).



TOOL 1: COMPUTATIONAL NOTEBOOKS/LITTERATE PROGRAMMING

Document initial dans son environnement



The screenshot shows a Jupyter Notebook interface with the following content:

- Cell 1: A title "# Un document computationnel" and a text block: "Mon ordinateur m'indique que π vaut *approximativement*".
- Cell 2: Code: `from math import *\nprint(pi)`. Output: `3.141592653589793`.
- Cell 3: Text: "Mais calculé avec la méthode des aiguilles de Buffon (https://fr.wikipedia.org/wiki/Aiguille_de_Buffon), on obtiendrait comme approximation :".
- Cell 4: Code: `import numpy as np\nN = 1000000\nx = np.random.uniform(size=N, low=0, high=1)\ntheta = np.random.uniform(size=N, low=0, high=pi/2)\n2/(sum((x+np.sin(theta))>1)/N)`. Output: `3.1437198694098765`.
- Cell 5: Text: "On peut inclure des formules mathématiques comme $\frac{1}{\sigma\sqrt{2\pi}} \exp\left(-\frac{(x-\mu)^2}{2\sigma^2}\right)$ et des dessins qui n'ont rien à voir avec π (si ce n'est une constante de normalisation... ☺)".
- Cell 6: Code: `matplotlib inline\nimport matplotlib.pyplot as plt\nmu, sigma = 100, 15\nx = mu + sigma*np.random.randn(10000)\nplt.hist(x, 40)\nplt.grid(True)\nplt.show()`. Output: A histogram showing a normal distribution centered at 100.

Code

Document final

Un document computationnel

Mon ordinateur m'indique que π vaut *approximativement*

3.141592653589793


Mais calculé avec la **méthode** des **aiguilles de Buffon**, on obtiendrait comme **approximation** :

```
import numpy as np
N = 1000000
x = np.random.uniform(size=N, low=0, high=1)
theta = np.random.uniform(size=N, low=0, high=pi/2)
2/(sum((x+np.sin(theta))>1)/N)
```

3.1437198694098765


On peut inclure des formules mathématiques comme $\frac{1}{\sigma\sqrt{2\pi}} \exp\left(-\frac{(x-\mu)^2}{2\sigma^2}\right)$ et

des **dessins qui n'ont rien à voir** avec π (si ce n'est une constante de normalisation... ☺).



TOOL 1: COMPUTATIONAL NOTEBOOKS/LITTERATE PROGRAMMING

Document initial dans son environnement



The screenshot shows a Jupyter Notebook interface with the following content:

- Cell 1:** A title cell containing "# Un document computationnel".
- Cell 2:** A text cell containing "Mon ordinateur m'indique que π vaut *approximativement*".
- Cell 3:** A code cell with the following code:

```
from math import *\nprint(pi)
```

The output is "3.141592653589793".
- Cell 4:** A text cell containing "Mais calculé avec la méthode des aiguilles de Buffon (https://fr.wikipedia.org/wiki/Aiguille_de_Buffon), on obtiendrait comme approximation :".
- Cell 5:** A code cell with the following code:

```
import numpy as np\nN = 1000000\nx = np.random.uniform(size=N, low=0, high=1)\ntheta = np.random.uniform(size=N, low=0, high=pi/2)\n2/(sum((x+np.sin(theta))>1)/N)
```

The output is "3.1437198694098765".
- Cell 6:** A text cell containing "On peut inclure des formules mathématiques comme $\frac{1}{\sigma\sqrt{2\pi}} \exp\left(-\frac{(x-\mu)^2}{2\sigma^2}\right)$ et des dessins qui n'ont rien à voir avec π (si ce n'est une constante de normalisation... ☺)".
- Cell 7:** A code cell with the following code:

```
import matplotlib\nimport matplotlib.pyplot as plt\nmu, sigma = 100, 15\nx = mu + sigma*np.random.randn(10000)\nplt.hist(x, 40)\nplt.grid(True)\nplt.show()
```

The output is a histogram showing a normal distribution centered at 100.

Résultats

Document final

Un document computationnel

Mon ordinateur m'indique que π vaut *approximativement*

3.141592653589793


Mais calculé avec la **méthode** des **aiguilles de Buffon**, on obtiendrait comme **approximation** :

```
import numpy as np\nN = 1000000\nx = np.random.uniform(size=N, low=0, high=1)\ntheta = np.random.uniform(size=N, low=0, high=pi/2)\n2/(sum((x+np.sin(theta))>1)/N)
```

3.1437198694098765


On peut inclure des formules mathématiques comme $\frac{1}{\sigma\sqrt{2\pi}} \exp\left(-\frac{(x-\mu)^2}{2\sigma^2}\right)$ et

des dessins qui n'ont rien à voir avec π (si ce n'est une constante de normalisation... ☺).



TOOL 1: COMPUTATIONAL NOTEBOOKS/LITTERATE PROGRAMMING

Document initial dans son environnement



The screenshot shows a Jupyter Notebook interface with the following content:

- Header: # Un document computationnel
- Text: Mon ordinateur m'indique que π vaut *approximativement*
- Code cell (In [1]):

```
from math import *\nprint(pi)
```

Output: 3.141592653589793
- Text: Mais calculé avec la *méthode* des *aiguilles de Buffon* (https://fr.wikipedia.org/wiki/Aiguille_de_Buffon), on obtiendrait comme *approximation* :
- Code cell (In [2]):

```
import numpy as np\nN = 1000000\nx = np.random.uniform(size=N, low=0, high=1)\ntheta = np.random.uniform(size=N, low=0, high=pi/2)\n2/(sum((x+np.sin(theta))>1)/N)
```

Output: 3.1437198694098765
- Text: On peut inclure des formules mathématiques comme $\frac{1}{\sigma\sqrt{2\pi}} \exp\left(-\frac{(x-\mu)^2}{2\sigma^2}\right)$ et des *dessins qui n'ont rien à voir* avec π (si ce n'est une constante de normalisation... ☺).
- Code cell (In [3]):

```
matplotlib inline\nimport matplotlib.pyplot as plt\nmu, sigma = 100, 15\nx = mu + sigma*np.random.randn(10000)\nplt.hist(x, 40)\nplt.grid(True)\nplt.show()
```

Export

Document final

Un document computationnel

Mon ordinateur m'indique que π vaut *approximativement*


3.141592653589793

Mais calculé avec la *méthode* des *aiguilles de Buffon*, on obtiendrait comme *approximation* :

```
import numpy as np\nN = 1000000\nx = np.random.uniform(size=N, low=0, high=1)\ntheta = np.random.uniform(size=N, low=0, high=pi/2)\n2/(sum((x+np.sin(theta))>1)/N)
```


3.1437198694098765

On peut inclure des formules mathématiques comme $\frac{1}{\sigma\sqrt{2\pi}} \exp\left(-\frac{(x-\mu)^2}{2\sigma^2}\right)$ et des *dessins qui n'ont rien à voir* avec π (si ce n'est une constante de normalisation... ☺).



TOOL 1: COMPUTATIONAL NOTEBOOKS/LITTERATE PROGRAMMING

Document initial dans son environnement



The screenshot shows a Jupyter Notebook interface with the following content:

- Header: # Un document computationnel
- Text: Mon ordinateur m'indique que π vaut *approximativement*
- Code cell (In [1]):

```
from math import *\nprint(pi)
```

Output: 3.141592653589793
- Text: Mais calculé avec la *méthode* des *aiguilles de Buffon* (https://fr.wikipedia.org/wiki/Aiguille_de_Buffon), on obtiendrait comme *approximation* :
- Code cell (In [2]):

```
import numpy as np\nN = 1000000\nx = np.random.uniform(size=N, low=0, high=1)\ntheta = np.random.uniform(size=N, low=0, high=pi/2)\n2/(sum((x+np.sin(theta))>1)/N)
```

Output: 3.1437198694098765
- Text: On peut inclure des formules mathématiques comme $\frac{1}{\sigma\sqrt{2\pi}} \exp\left(-\frac{(x-\mu)^2}{2\sigma^2}\right)$ et des *dessins qui n'ont rien à voir avec π* (si ce n'est une constante de normalisation... ☺).
- Code cell (In [3]):

```
matplotlib inline\nimport matplotlib.pyplot as plt\nmu, sigma = 100, 15\nx = mu + sigma*np.random.randn(10000)\nplt.hist(x, 40)\nplt.grid(True)\nplt.show()
```
- Figure: A histogram showing a normal distribution centered at 100, with a peak frequency of approximately 800.



Document final

Un document computationnel

Mon ordinateur m'indique que π vaut *approximativement*

3.141592653589793


Mais calculé avec la *méthode* des *aiguilles de Buffon*, on obtiendrait comme *approximation* :

```
import numpy as np\nN = 1000000\nx = np.random.uniform(size=N, low=0, high=1)\ntheta = np.random.uniform(size=N, low=0, high=pi/2)\n2/(sum((x+np.sin(theta))>1)/N)
```

3.1437198694098765

On peut inclure des formules mathématiques comme $\frac{1}{\sigma\sqrt{2\pi}} \exp\left(-\frac{(x-\mu)^2}{2\sigma^2}\right)$ et

des *dessins qui n'ont rien à voir avec π* (si ce n'est une constante de normalisation... ☺).



<https://jupyterhub.u-ga.fr/>

TOOL 2: FIGHTING SOFTWARE ENVIRONMENTS NIGHTMARE

What is hiding behind a simple

```
import matplotlib
```

Package: python3-matplotlib

Version: 2.1.1-2


Depends: python3-dateutil, python-matplotlib-data (>= 2.1.1-2),
python3-pyparsing (>= 1.5.6), python3-six (>= 1.10), python3-tz,
libjs-jquery, libjs-jquery-ui, python3-numpy (>= 1:1.13.1),
python3-numpy-abi9, python3 (<< 3.7), python3 (>= 3.6~),
python3-cycler (>= 0.10.0), python3:any (>= 3.3.2-2~), libc6 (>=
2.14), libfreetype6 (>= 2.2.1), libgcc1 (>= 1:3.0), libpng16-16 (>=
1.6.2-1), libstdc++6 (>= 5.2), zlib1g (>= 1:1.1.4)

TOOL 2: FIGHTING SOFTWARE ENVIRONMENTS NIGHTMARE

What is hiding behind a simple

```
import matplotlib
```

Package: python3-matplotlib



TOOL 2: FIGHTING SOFTWARE ENVIRONMENTS NIGHTMARE

Python and its rapidly evolving environment

```
python2 -c "print(10/3)"  
python3 -c "print(10/3)"
```



3

3.3333333333333335

TOOL 2: FIGHTING SOFTWARE ENVIRONMENTS NIGHTMARE

Python and its rapidly evolving environment



```
python2 -c "print(10/3)"  
python3 -c "print(10/3)"
```



TOOL 2: FIGHTING SOFTWARE ENVIRONMENTS NIGHTMARE

Python and its rapidly evolving environment

```
python2 -c "print(10/3)"  
python3 -c "print(10/3)"
```





Cortical Thickness Measurements (PLOS ONE, June 2012) *FreeSurfer*:
*differences were found between the Mac and HP workstations and between
Mac OSX 10.5 and OSX 10.6.*

TOOL 2: FIGHTING SOFTWARE ENVIRONMENTS NIGHTMARE

Python and its rapidly evolving environment

```
python2 -c "print(10/3)"  
python3 -c "print(10/3)"
```



Cortical Thickness Measurements (PLOS ONE, June 2012) *FreeSurfer*:
differences were found between the Mac and HP workstations and between
Mac OSX 10.5 and OSX 10.6.



TOOL 3: FIGHTING INFORMATION LOSS WITH ARCHIVES

- D. Spinellis. *The Decay and Failures of URL References*. CACM, 46(1), 2003
The half-life of a referenced URL is approximately 4 years from its publication date.
- P. Habibzadeh. *Decay of References to Web sites in Articles Published in General Medical Journals: Mainstream vs Small Journals*. Applied Clinical Informatics. 4 (4), 2013
half life ranged from 2.2 years in EMHJ to 5.3 years in BMJ

TOOL 3: FIGHTING INFORMATION LOSS WITH ARCHIVES

- D. Spinellis. *The Decay and Failures of URL References*. CACM, 46(1), 2003
The half-life of a referenced URL is approximately 4 years from its publication date.
- P. Habibzadeh. *Decay of References to Web sites in Articles Published in General Medical Journals: Mainstream vs Small Journals*. Applied Clinical Informatics. 4 (4), 2013
half life ranged from 2.2 years in EMHJ to 5.3 years in BMJ

Article archives  
archives-ouvertes.fr

Data archives  

Software Archive  Software Heritage



or



= awesome collaborations (≠ archive)

WHAT WILL IT TAKE ?

Soft. Engineering, Statistics, and Reproducible Research in the curricula

Manifesto: *"I solemnly pledge"* (WSSSPE, Lorena Barba, FAIR)

1. I will teach my graduate students about reproducibility
2. All our research code (and writing) is under version control
3. We will always carry out verification and validation
4. We will share data, plotting script & figure under CC-BY
5. We will upload the preprint to arXiv at the time of submission of a paper
6. We will release code at the time of submission of a paper
7. We will add a "Reproducibility" declaration at the end of each paper
8. I will keep an up-to-date web presence



Artifact evaluation and ACM badges



Major conferences

- **Supercomputing**: Artifact Description (AD) **mandatory**, Artifact Evaluation (AE) still **optional**, **Double blind** vs. **RR**
- **NeurIPS, ICLR**: **open reviews**, reproducibility challenge




Joelle Pineau @ NeurIPS'18

- **ACM SIGMOD 2015-2019**, Most Reproducible Paper Award...

Mentalities are evolving people care, make stuff available, **errors are found and fixed**


CHANGING ACADEMIC PRACTICES (PUBLISH OR PERISH)

- **Goodhart's Law: Are Academic Metrics Being Gamed?**, M. Fire 2019
 - AI: over 1,000 ranked journals ($\times 10$ in 15 years)
 - Shorter papers with increasing self references
 - More and more papers without any citation
 - Sharp increase in the number of new authors publishing at a much faster rate given their career age
- **The Truth, The Whole Truth, and Nothing But the Truth: A Pragmatic, Guide to Assessing Empirical Evaluations**, *TOPLAS* 2016



CHANGING ACADEMIC PRACTICES (PUBLISH OR PERISH)

- **Goodhart's Law: Are Academic Metrics Being Gamed?**, M. Fire 2019
 - AI: over 1,000 ranked journals ($\times 10$ in 15 years)
 - Shorter papers with increasing self references
 - More and more papers without any citation
 - Sharp increase in the number of new authors publishing at a much faster rate given their career age
- **The Truth, The Whole Truth, and Nothing But the Truth: A Pragmatic, Guide to Assessing Empirical Evaluations**, *TOPLAS* 2016



WHAT ABOUT OPEN SCIENCE ?

Plan National pour la Science Ouverte (BSN \rightsquigarrow CoSO)

- CNRS, Inria, INRAE, ...
- Many flavors: *Citizen Science*

Main pillars:

1. Open access
2. Open data
3. Open source
 - *Open hardware*
4. Open methodology (**Reproducible Research**)
 - *Open-notebook science*
 - *Open science infrastructures*
5. Open peer review
6. Open educational resources





A non-technical introduction to reproducibility issues (in French)

- Loïc Desquilbet, Sabrina Granger, Boris Hejblum, Pascal Pernot, Nicolas Rougier

RESOURCES AND ACKNOWLEDGMENTS



A non-technical introduction to reproducibility issues (in French)

- Loïc Desquilbet, Sabrina Granger, Boris Hejblum, Pascal Pernot, Nicolas Rougier

MOOC Reproducible Research: Methodological principles for a transparent science, Learning Lab Inria

- Konrad Hinsén, Christophe Pouzat
- **3rd Edition**: March 2020 – March 2022
- **MOOC RR "Advanced"** planned for 2021
 - Software environment control
 - Scientific workflow
 - Managing data

